

251 North Avenue West, 2<sup>nd</sup> Floor  
Westfield, New Jersey 07090  
Tel.: (908) 518-7700  
Fax: (908) 518-7795

**Mayer Fortkort & Williams, PC**  
**Attorneys At Law**

**Fax**

**RECEIVED**  
**CENTRAL FAX CENTER**

MAR 31 2004

**OFFICIAL**

To: Examiner Angel Roman  
Group Art Unit 2812

From: Marjorie Scariati

---

Fax: 703-872-9319 Pages: 16

---

Phone: 703-306-0207 Date: 3/31/04

---

Re: 10/010,162 CC:

---

Urgent     For Review     Please Comment     Please Reply     Please Recycle

**PRIVACY AND CONFIDENTIALITY NOTICE**

*The information contained in this communication is confidential and may be legally privileged. It is intended solely for the use of the individual or entity to whom it is addressed and others authorized to receive it. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is strictly prohibited.*

*If you received this communication in error, please immediately notify us by a collect telephone call to the writer and return the original message and documents to us at the above address via the United States postal service.*

---

**PLEASE SEE ATTACHED REQUEST FOR CONTINUED EXAMINATION (RCE) TRANSMITTAL  
AND RESUBMITTED AMENDMENT ORIGINALLY FILED 3/2/04**

Patent Application  
10/010,162

RECEIVED  
CENTRAL FAX CENTER

Amendment after Final Rejection  
Expedited Handling Requested - GAU 2812

MAR 3, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

OFFICIAL

Applicant: Fwu-Juan Hsieh et al.  
Serial No.: 10/010,162  
Filed: November 20, 2001  
Title: Method Of Forming Narrow Trenches In Semiconductor Substrates  
Art Unit: 2812  
Examiner: Angel Roman  
Docket No.: GS 149

Via Facsimile 703-872-9319

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

AMENDMENT AFTER FINAL REJECTION

Sir:

In response to the Office Action dated December 29, 2003, the time for response ending on Monday, March 1, 2004 (February 29, 2004 being a Sunday), kindly amend the above-identified application as follows. In addition, any deficiencies may be charged to deposit account No. 50-1047.